

1 Identification of substance:

- **Product details:**
- **Trade name:** **TSO-1 BLACK INK**
- **Product number:** 2600-201F
- **Application of the substance / the preparation** Printing inks
- **Manufacturer/Supplier:**
FoxJet, an ITW Company
1 Missouri Research Park Drive
St. Charles, MO 63304-5685
- **Customer Sales & Service:**
800-369-5384 USA
636-300-2188 FAX

Email: email@foxjet.com

2 Composition/Data on components:

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

64-17-5	ethanol	60-80%
67-63-0	isopropyl alcohol	5-20%
71-23-8	1-propanol	0-5%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- **Hazard description:**



Highly flammable

- **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Has a narcotizing effect.

Highly flammable.

Vapours may cause drowsiness and dizziness

- **Classification system**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **NFPA Ratings (scale 0-4)**



Health = 1

Fire = 3

Reactivity = 0

- **HMIS Rating (scale 0-4)**



HEALTH 1 Health - 1

FIRE 3 Flammability - 3

REACTIVITY 0 Reactivity - 0

- **Routes of Entry** Ingestion

- **Target Organs** Eyes

- **Irritancy**

Eyes

Skin

- **Sensitizing Capability** None known

- **Reproductive Effects** None known

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO/DIS 11014

08/24/2006

Revision date: 08/24/2006

Trade name: TSO-1 BLACK INK

· **Cancer Information** Not known to be carcinogenic.

(Contd. of page 1)

4 First aid measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
Drink plenty of water. Induce vomiting, if person is conscious. Get immediate medical attention.

5 Fire fighting measures

- **Suitable extinguishing agents** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents**
Water.
Water with full jet.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
Do not allow product to reach sewage system or any water course.
Prevent seepage into sewage system, workpits and cellars.
Inform respective authorities in case of seepage into water course or sewage system.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents

7 Handling and storage

- **Handling**
- **Information for safe handling:** Store in cool, dry place in tightly closed receptacles.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Maximum storage temperature:** 120 F (49 C)
- **Minimum storage temperature** 35 F (2 C)

8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol

PEL	1900 mg/m ³ , 1000 ppm
REL	1900 mg/m ³ , 1000 ppm
TLV	1880 mg/m ³ , 1000 ppm

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

08/24/2006

Revision date: 08/24/2006

Trade name: TSO-1 BLACK INK

(Contd. of page 2)

67-63-0 isopropyl alcohol

PEL	980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm

71-23-8 1-propanol

PEL	500 mg/m ³ , 200 ppm
REL	Short-term value: 625 mg/m ³ , 250 ppm Long-term value: 500 mg/m ³ , 200 ppm Skin
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm

- **Personal protective equipment**
- **General protective and hygienic measures** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles.

9 Physical and chemical properties:

- **General Information**

Form:	Liquid
Color:	Black
Odor:	Characteristic

- **Change in condition**

Melting point/Melting range:	undetermined
Boiling point/Boiling range:	78°C (172°F)

- **Flash point:** 13°C (55°F)

- **Ignition temperature:** 425.0°C (797°F)

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

Lower:	2.0 Vol %
Upper:	15.0 Vol %

- **Vapor pressure at 20°C (68°F):** 59.0 hPa (44 mm Hg)

- **Density at 20°C (68°F):** 0.798 g/cm³

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO/DIS 11014

08/24/2006

Revision date: 08/24/2006

Trade name: **TSO-1 BLACK INK**

(Contd. of page 3)

· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Solvent content:	
Organic solvents:	91.3 %
· Solids content:	7.2 %
· VOC's Lbs/Gallon:	6.0

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- on the skin:** No irritant effect.
- on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

12 Ecological information:

- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Comply with all Federal, State, and Local regulations regarding disposal.
- **Uncleaned packagings:**
- **Recommendation:**
Disposal must be made according to official regulations.
Comply with all Federal, State, and Local regulations regarding disposal.

14 Transport information

- **DOT regulations:**



- **Hazard class:** 3
- **Identification number:** UN1210
- **Packing group:** II
- **ERG #** 129
- **Proper shipping name (technical name):** PRINTING INK

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

08/24/2006


Revision date: 08/24/2006

Trade name: TSO-1 BLACK INK

(Contd. of page 4)


· **Label** 3

· **Land transport ADR/RID (cross-border)**




· **ADR/RID class:** 3 Flammable liquids
 · **Danger code (Kemler):** 33
 · **UN-Number:** 1210
 · **Packaging group:** II
 · **Description of goods:** 1210 PRINTING INK

· **Maritime transport IMDG:**



· **IMDG Class:** 3
 · **UN Number:** 1210
 · **Label** 3
 · **Packaging group:** II
 · **EMS Number:** F-E,S-D
 · **Marine pollutant:** No
 · **Propper shipping name:** PRINTING INK

· **Air transport ICAO-TI and IATA-DGR:**



· **ICAO/IATA Class:** 3
 · **UN/ID Number:** 1210
 · **Label** 3
 · **Packaging group:** II
 · **Propper shipping name:** PRINTING INK

15 Regulations

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

67-63-0 | isopropyl alcohol

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 | ethanol

A4

· **MAK (German Maximum Workplace Concentration)**

64-17-5 | ethanol

5

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Product related hazard information:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard symbols:**

Highly flammable

· **Risk phrases:**

Highly flammable.

(Contd. on page 6)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

08/24/2006

Revision date: 08/24/2006

Trade name: TSO-1 BLACK INK

(Contd. of page 5)

Vapours may cause drowsiness and dizziness

· **Safety phrases:**

Keep out of the reach of children.

Keep container tightly closed and in a well-ventilated place.

Keep away from sources of ignition - No smoking.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
If swallowed, seek medical advice immediately and show this container or label.

· **National regulations**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **OSHA Regulations**

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

OSHA Specifically Regulated Substance (29 CFR 1910.): Not listed

· **Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III, Section 313:**

67-63-0 isopropyl alcohol

· **CONEG:**

This product has not been tested for heavy metals covered under the various CONEG laws. However, raw materials used to make this product do not contain mercury, lead, cadmium, or hexavalent chromium and none are added during manufacture.

· **Toxic Substances Control Act TSCA Status:**

All components of this product are listed in the EPA's Inventory of Chemical Substances as required under the Toxic Substances Control Act (TSCA).

· **California Proposition 65 (Chemicals known to cause cancer):**

This product contains no ingredients on the California Proposition 65 List known to cause cancer.

· **California Proposition 65 (Chemicals known to cause reproductive toxicity):**

This product contains no ingredients on the California Proposition 65 List known to cause reproductive toxicity.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Safety / Environmental

· **MSDS Created By:** Peter Gimse

· **File:** 455

· **Revision Information (All previous revisions obsolete):**

THIS REVISION: 01/26/06 UPDATED INFORMATION

PREVIOUS REVS: 04/08/02 UPDATED COMPANY INFORMATION. NEW FORMULA

09/14/00 SECTION 14: CORRECTED IMDG NUMBER

08/02/00 SECTION 1: UPDATED PRODUCT NUMBERS. SECTION 14:

ADDED ERG#.

CORRECTED IMDG PAGE NUMBER

09/23/99 INITIAL RELEASE

USA